


Shenzhen Yitong Testing Technology Co., Ltd 深圳市一通检测技术有限公司 F1&F3,Block A18,Guanlong Industrial Zone,Xili Town,Nanshan District,Shenzhen,Guangdong,China Hotline:4000004070 Tel:+(86)755-86114499 Fax:+(86)755-86114466 www.sztts.com 中国・广东省深圳市南山区西丽官龙村工业区A十八栋厂房一、三楼



)4070 Tel:+(86)755-86114499 Fax:+(86)755-86114466 www.sztts.com 中国・广东省深圳市南山区西丽官龙村工业区A十八栋厂房一、三楼

	715	212		115	TT
TTS			T15 T1	15	
	No.: WZH054	115		age 2 Of 3	- 1
TT	5	/ULUUJIN 7 2400.	NOV 21, 2022		5
P	Test Item 1: Low	Temperature Tes	<sup>t</sup> TTS		
	<ol> <li>Test Standard: Supplied by client</li> <li>Test Equipment:</li> </ol>				
; T	Equipment Name	Equipment Model	Equipment No.	Calibration Useful-life	
	Temperature & Humidity Chamber	GDJS-500D	TTS-YQ-197	Apr 10, 2023	
<ul> <li>3. Test Remark &amp; Notes:</li> <li>(1) Place the sample into the Temperature &amp; Humidity Chamber;</li> <li>(2) Adjust the inner temperature to -20 °C , keep the sample in that environment for 24 h;</li> <li>(2) The lot here are a set of the sample in that the set of the sample in the sampl</li></ul>					
115	(3) Check the sample	12	'S TTS	TTS	TT
TTS	<b>T12</b>	TTS	TT	5 115	T
TTS TTS					
11	'S TTS		TTS T	TS TTS	
_ 1	TTS TTS	TTS		T	TS
S	TT	S TTS	TTS	TTS	
ITS	TTS			TTS	TTS
	n Yitong Testing Technology Co., Ltd 通检测技术有限公司	F1&F3,Block A18 Hotline:4000004(		n,Nanshan District,Shenzhen,Guangdon Fax:+(86)755-86114466 www.sz	ong,China ztts.com

Hotline:4000004070 Tel:+(86)755-86114499 Fax:+(86)755-86114466 www.sztts.com 中国・广东省深圳市南山区西丽官龙村工业区A十八栋厂房一、三楼

